

Israel OEM Pluggable Optical Module OSFP



Overview

OSFP stands for Octal Small Form-factor Pluggable. OSFP is a high-speed, high-density, hot-pluggable transceiver module used in data communication applications, targeting speeds of 400G, 800G, and even 1.6Tbps. As hyperscale data centers shift toward AI-optimized fabrics and ultra-high-bandwidth switching platforms, the OSFP (Octal Small Form-Factor Pluggable) form factor has become central to next-generation optical architectures. These input/output (I/O) solutions support aggregate data rates up to 1.6Tbps, helping data centers meet AI-driven capacity demands with minimal. Octal Small Form-factor Pluggable (OSFP) solution that fits into high-density switch and router client ports for optical interconnect links Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D Siliconization Supports. The Cisco ® OSFP 800G transceiver modules provide 800 Gigabit Ethernet (GE), 2x 400GE, 4x 200GE, and 8x 100GE connectivity options, complying with the Octal Small Form Factor Pluggable (OSFP) MSA for pluggable transceivers.

Article Content

QSFP-DD Transceiver Guide 2026: Complete 400G/800G Deployment

Master QSFP-DD transceiver deployment for 400G/800G networks. Compare module types (SR8/DR4/FR4/LR4), cable options, pricing, and implementation best practices.

OSFP Packaged Optical Module Dynamics and Forecasts: 2026-2034 ...

The OSFP Packaged Optical Module market is booming, driven by surging data demands and the adoption of high-speed technologies like 400G and 800G. Explore market size, growth

Introduction to OSFP

OSFP (Octal Small Formfactor Pluggable) is a high-speed optical module packaging technology designed to meet the growing demand for ultra

Optical Transceiver Market Size, Share, Industry

Optical Transceiver Market Size The global optical transceiver market was valued at USD 13.4 billion in 2025. The market is expected to grow from USD 15.4

Optical Interconnect in AI Data Centers Market

Pluggable optical modules are seeing strong adoption with 50% share in market as AI and high-performance data centers demand high-bandwidth, low-latency interconnects for workloads

OSFP Product Family » Acacia

Octal Small Form-factor Pluggable (OSFP) solution that fits into high-density switch and router client ports for optical interconnect links. Powered by Greylock and Delphi DSP ASICs, and silicon

Understanding the OSFP Standard: The Open 400G/800G Optical

OSFP (Octal Small Form Factor Pluggable) is a pluggable optical transceiver interface standard that supports eight electrical lanes (Tx/Rx) per module. Each lane can operate up to 100G

OSFP Guide

OSFP is a high-speed, high-density, hot-pluggable transceiver module used in data communication applications, targeting speeds of 400G, 800G, and even 1.6TB.

QSFP Optical Module Planning for the Future: Key Trends 2026-2034

QSFP Optical Module Market Report: A Deep Dive into the Next-Generation Connectivity Ecosystem (2019-2033) This comprehensive report provides an in-depth analysis of the global QSFP

OSFP OCTAL SMALL FORM FACTOR PLUGGABLE MODULE

Abstract: This specification defines the electrical connectors, electrical signals and power supplies, mechanical and thermal requirements of the OSFP Module, connector and cage systems. The OSFP

Cisco Optics | Transform Your Network

Get the highest quality, performance-leading optical transceivers for any network architecture. Find the transceiver model to fit your network.

FAQ about OSFP Octal Small Form Factor Pluggable?

Q: What is the OSFP (Octal Small Form Factor Pluggable)? A: The OSFP is a new pluggable form factor with eight high speed electrical lanes that will initially

800G OSFP/QSFP-DD Optical Transceivers for InfiniBand & RoCE

NADDOD 800G modules are crucial components for the next generation of high-performance data center networks. They feature OSFP form factors, advanced Linear-drive Pluggable Optics, and dual

Understanding OSFP Modules: Your Guide to High

OSFP (Octal Small Form-factor Pluggable) modules are becoming increasingly important in achieving high-speed optical connectivity in the fast

Coherent Optical Equipment Market

The Coherent Optical Equipment Market in 2024 encompassed coherent modules, optical amplifiers, coherent line systems and test equipment with installed coherent ports measured in the

Global logistics for optics: 2026 Lead times & Risks

Discover how 2026 global logistics for optics and DSP lead times impact 800G data center deployments. Learn to troubleshoot PAM4, FEC, and CMIS failures.

Welcome to OSFPmsa

A: The OSFP is a pluggable form factor with 8x high speed electrical lanes that support up to 400 Gbps (8x50G), 800 Gbps (8x100G), or 1.6 Tbps (8x200G). Up to 36 OSFP ports are supported in 1 U front

OFC 2026 Heralds Optical Shift for AI Factories

The vendor also has added 800-Gb/s capacity to its Cisco NCS 1014 transponder and is showing its new coherent pluggable optical modules based on Acacia technology for access and

QSFP Optical Module Market: \$8.6B by 2025, 11.2% CAGR

The QSFP Optical Module market will reach \$8.6B by 2025 with an 11.2% CAGR. Growth is driven by government incentives and strategic partnerships. Access key market drivers and company

What is OSFP Octal Small Form Factor Pluggable?

The long-awaited public launch of efforts to develop the Octal Small Form Factor Pluggable (OSFP) optical transceiver module for 400-Gbps applications has finally arrived. The

OSFP Connectors & Cable Assemblies

By utilizing integrated thermal heatsink technology in the plug, OSFP products provide superior thermal performance and the signal integrity needed to support 400G data rates.

Understanding OSFP Modules: Your Guide to High

Discover how OSFP modules provide high-speed optical connectivity for data center applications. Learn about the different form factors,

OSFP Connector System

The Octal Small Form Factor Pluggable (OSFP) Connector System provides single- or dual-port, 8- or 16-lane I/O connectivity with DAC, AOC, ACC and optical modules for high-density switch applications.

OSFP Transceivers: High-Density Optical Connectivity from 400G to

Designed for high thermal capacity, electrical scalability, and forward compatibility, OSFP modules now drive connectivity across 400G, 800G and the emerging 1.6T generation.

OSFP MSA Rev 5.0

Abstract: This specification defines the electrical connectors, electrical signals and power supplies, mechanical and thermal requirements of the OSFP Module, connector and cage systems. The OSFP

ENET Releases 1.6T OSFP224 Optical Transceiver for Next-Gen Data ...

ENET 1.6T DR8 OSFP224 transceiver in NVIDIA switch. 1600G Octal Small Form-factor Pluggable (OSFP) optical module with top closed fin designed for 500m optical communication

800G Transceiver Modules

The transceivers ensure broad compatibility with options for MPO16 and dual MPO12 optical connectors and compliance with CMIS 5.X. These 800G optics utilize internal and externally qualified lasers to

Understanding OSFP Modules: Your Guide to High-Speed Optical ...

Discover how OSFP modules provide high-speed optical connectivity for data center applications. Learn about the different form factors, data rates, and compatibility options available.

What Drives OSFP Coherent Optical Module Market Growth to 2034?

The OSFP Coherent Optical Module market expands at a 14.69% CAGR, driven by rising data center and network demands. Access key market drivers, segment analysis, and 2034 projections.

Cisco OSFP 800G Transceiver Modules Data Sheet

The Cisco ® OSFP 800G transceiver modules provide 800 Gigabit Ethernet (GE), 2x 400GE, 4x 200GE, and 8x 100GE connectivity options, complying with the Octal Small Form Factor

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.kwsaevents.co.za>

Email: sales@kwsaevents.co.za

Phone: +27 21 852 4719

Address: 25 Riebeek Street, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

